IN THE CLAIMS:

1. (Currently Amended) A character string dividing system for segmenting a character string into a plurality of words, comprising:

input means for receiving a document;

document data storing means serving as a document database for storing a received document;

character joint probability calculating means for calculating a <u>character</u> joint probability <u>that represents a probability</u> of two neighboring characters appearing <u>immediate</u> next to each other in said document database;

probability table storing means for storing a table of calculated character joint probabilities;

character string dividing means for segmenting an objective character string into a plurality of words with reference to said table of calculated character joint probabilities; and

output means for outputting a division result of said objective character string.

2. (Currently Amended) A character string dividing method for segmenting a character string into a plurality of words, said method comprising the steps of:

statistically calculating a character joint probability

that represents a probability of two neighboring characters

appearing immediately next to each other in a given document

database; and

segmenting an objective character string into a plurality of words with reference to calculated <u>character</u> joint probabilities so that each division point of said objective character string is present between two neighboring characters having a smaller <u>character</u> joint probability.

3. (Currently Amended) A character string dividing method for segmenting a character string into a plurality of words, said method comprising the steps of:

statistically calculating a character joint probability that represents a probability of two neighboring characters appearing immediately next to each other in a given document database, said character joint probability being calculated as

an appearance probability of a specific character string appearing immediately before a specific character, said specific character string including a former one of said two neighboring characters as a tail thereof and said specific character being a latter one of said two neighboring characters; and

segmenting an objective character string into a plurality of words with reference to calculated <u>character</u> joint probabilities so that each division point of said objective character string is present between two neighboring characters having a smaller character joint probability.

4. (Currently Amended) A character string dividing method for segmenting a character string into a plurality of words, said method comprising the steps of:

statistically calculating a <u>character</u> joint probability that represents a probability of two neighboring characters appearing <u>immediately next to each other</u> in a given document database, said <u>character</u> joint probability being calculated as an appearance probability of a first character string appearing immediately before a second character string, said first

character string including a former one of said two neighboring characters as a tail thereof and said second character string including a latter one of said two neighboring characters as a head thereof; and

segmenting an objective character string into a plurality of words with reference to calculated <u>character</u> joint probabilities so that each division point of said objective character string is present between two neighboring characters having a smaller character joint probability.

5. (Currently Amended) The character string dividing method in accordance with claim 4, wherein said <u>character</u> joint probability of two neighboring characters is calculated based on a first probability of said first character string appearing immediately before said latter one of said two neighboring characters and also based on a second probability of said second character string appearing immediately after said former one of said two neighboring characters.

6. (Currently Amended) A character string dividing method for segmenting a character string into a plurality of words, said method comprising the steps of:

statistically calculating a character joint probability that represents a probability of two neighboring characters appearing immediately next to each other in a given document database prepared for learning purpose; and

segmenting an objective character string into a plurality of words with reference to calculated character joint probabilities so that each division point of said objective character string is present between two neighboring characters having a smaller character joint probability,

wherein, when said objective character string involves a sequence of characters not involved in said document database, a character joint probability of any two neighboring characters not appearing in said database is estimated based on said calculated character joint probabilities for the neighboring characters stored in said document database.

- 7. (Currently Amended) The character string dividing method in accordance with claim 2, wherein said division point of said objective character string is determined based on a comparison between the <u>character</u> joint probability and a threshold, and said threshold is determined with reference to an average word length of resultant words.
- 8. (Currently Amended) The character string dividing method in accordance with claim 2, wherein a changing point of character type is considered as a prospective division point of said objective character_string.

9. (Cancelled)

10. (Currently Amended) A character string dividing system for segmenting a character string into a plurality of words, comprising:

input means for receiving a document;

document data storing means serving as a document database for storing a received document;

character joint probability calculating means for calculating a <u>character</u> joint probability <u>that represents a probability</u> of two neighboring characters appearing <u>immediately</u> next to each other in said document database;

probability table storing means for storing a table of calculated character joint probabilities;

word dictionary storing means for storing a word dictionary prepared or produced beforehand;

division pattern producing means for producing a plurality of candidates for a division pattern of an objective character string with reference to information of said word dictionary;

correct pattern selecting means for selecting a correct division pattern from said plurality of candidates with reference to said table of character joint probabilities; and

output means for outputting said selected correct division pattern as a division result of said objective character string.

11. (Currently Amended) A character string dividing method for segmenting a character string into a plurality of words, said method comprising the steps of:

statistically calculating a character joint probability that represents a probability of two neighboring characters appearing immediately next to each other in a given document database;

storing calculated character joint probabilities; and segmenting an objective character string into a plurality of words with reference to a word dictionary,

wherein, when there are a plurality of candidates for a division pattern of said objective character string, a correct division pattern is selected from said plurality of candidates with reference to calculated character joint probabilities so that each division point of said objective character string is present between two neighboring characters having a smaller character joint probability.

12. (Currently Amended) The character string dividing method in accordance with claim 11, wherein a score of each candidate is calculated when there are a plurality of candidates for a division pattern of said objective character string,

said score is a sum of <u>character</u> joint probabilities at respective division points of said objective character string in accordance with a division pattern of said each candidate, and

a candidate having the smallest score is selected as said correct division pattern.

- 13. (Currently Amended) The character string dividing method in accordance with claim 11, wherein
- a score of each candidate is calculated when there are a plurality of candidates for a division pattern of said objective character string,

said score is a product of character joint probabilities at respective division points of said objective character string in accordance with a division pattern of said each candidate, and

a candidate having the smallest score is selected as said correct division pattern.

- 14. (Currently Amended) The character string dividing method in accordance with claim 11, wherein
- a calculated character joint probability is given to each division point of said candidate;
- a constant value is assigned to each point between two characters not divided;
- a score of each candidate is calculated based on a sum of said character joint probability and said constant value thus assigned; and
- a candidate having the smallest score is selected as said correct division pattern.
- 15. (Currently Amended) The character string dividing method in accordance with claim 11, wherein a calculated character joint probability is given to each division point of said candidate;
- a constant value is assigned to each point between two characters not divided;

a score of each candidate is calculated based on a product of said character joint probability and said constant value thus assigned; and

a candidate having the smallest score is selected as said correct division pattern.

16. (Currently Amended) A character string dividing system for segmenting a character string into a plurality of words, comprising:

input means for receiving a document;

document data storing means serving as a document database for storing a received document;

character joint probability calculating means for calculating a <u>character</u> joint probability <u>that represents a probability</u> of two neighboring characters appearing <u>immediately</u> next to each other in said document database;

probability table storing means for storing a table of calculated character joint probabilities;

word dictionary storing means for storing a word dictionary prepared or produced beforehand;

unknown word estimating means for estimating unknown words not registered in said word dictionary;

division pattern producing means for producing a plurality of candidates for a division pattern of an objective character string with reference to information of said word dictionary and said estimated unknown words;

correct pattern selecting means for selecting a correct division pattern from said plurality of candidates with reference to said table of character joint probabilities; and

output means for outputting said selected correct division pattern as a division result of said objective character string.

17. (Currently Amended) A character string dividing method for segmenting a character string into a plurality of words, said method comprising the steps of:

statistically calculating a character joint probability that represents a probability of two neighboring characters appearing immediately next to each other in a given document database;

storing calculated character joint probabilities; and

segmenting an objective character string into a plurality of words with reference to dictionary words and estimated unknown words,

wherein, when there are a plurality of candidates for a division pattern of said objective character string, a correct division pattern is selected from said plurality of candidates with reference to calculated character joint probabilities so that each division point of said objective character string is present between two neighboring characters having a smaller character joint probability.

18. (Original) The character string dividing method in accordance with claim 17, wherein it is checked if any word starts from a certain character position (i) when a preceding word ends at a character position (i-1) and, when no dictionary word starting from said character position (i) is present, appropriate character strings are added as unknown words starting from said character position (i), where said character strings to be added have a character length not smaller than n and not larger than m, where n and m are positive integers.

19. (Original) The character string dividing method in accordance with claim 17, wherein

a constant value given to said unknown word is larger than a constant value given to said dictionary word,

a score of each candidate is calculated based on a sum of said constant values given to said unknown word and said dictionary word in addition to a sum of calculated joint probabilities at respective division points, and

a candidate having the smallest score is selected as said correct division pattern.

- 20. (Original) The character string dividing method in accordance with claim 17, wherein
- a constant value given to said unknown word is larger than a constant value given to said dictionary word,
- a score of each candidate is calculated based on a product of said constant values given to said unknown word and said dictionary word in addition to a product of calculated joint probabilities at respective division points, and

a candidate having the smallest score is selected as said correct division pattern.